

A Precast Concrete Bridge Bent Designed to Re-center after an Earthquake

Description

Meta Fields

Project Completion Year: 2008 **Project Starting Year**: 2008

Other Documents 0 Other Documents File: 2734

Primary Sponsor Contact Info: Washington State Department of Transportation Research Office Transportation Building, MS 47370 Olympia, WA 98504 USA Kim Willoughby 360-705-7978 U.S. Department of Transportation Office of the Secretary of Transp. 400 7th St. SW Washington, DC 20590 USA

Budget: 0.00

Key Words: Posttensioning, precast concrete, bridge substructure, columns, residual displacement,

residual drift

Abstract : In this study the post-earthquake residual displacements of reinforced concrete bridge bents were investigated. The system had mild steel that was intended to dissipate energy and an unbonded, post-tensioned tendon that was supposed to remain elastic and re-center the column. The columns tested had different mild steel to prestress ratios, which affected their re-centering ability. A recentering ratio developed by Hieber (2005), which took into account the external axial load, initial prestress force, and the mild steel ratio, was used to predict these re-centering capabilities.

Two 40 percent scale specimens with large-bar connection details and a central unbonded, post-tensioned tendon were tested by using pseudo-static loading. The large-bar system is a rapidly constructible precast system for use in seismic regions. The test columns had re-centering ratios of 1.6 and 1.2. A column with the same connection details but no prestress and a re-centering ratio of 0.9 was used as a reference. The displacement at zero force in the test was used as a proxy for the residual displacement after an earthquake.

The tests showed that columns with a larger re-centering ratio did experience lower residual drifts, although this distinction only became clear for drift ratios that exceeded 2 percent. The tests also showed that increases in post-tensioning force led to slight increases in damage at high drift ratios.

Subject: Self Centering Bent

Group: Seismic

Category: Completed Projects